

**PCT**

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification 5 :</b> <b>A23L 1/307</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 90/05460</b> <b>(43) International Publication Date:</b> 31 May 1990 (31.05.90)
<b>(21) International Application Number:</b> PCT/US89/05123 <b>(22) International Filing Date:</b> 13 November 1989 (13.11.89) <b>(30) Priority data:</b> 272,141 16 November 1988 (16.11.88) US <b>(71) Applicant:</b> THE NUTRASWEET COMPANY [US/US]; 1751 Lake Cook Road, Deerfield, IL 60015 (US). <b>(72) Inventor:</b> LIAO, Shyhyuan ; 1126 East Algonquin Road, 1432A, Schaumburg, IL 60196 (US). <b>(74) Agent:</b> HOSTER, Jeffrey, M.; 1751 Lake Cook Road, Deerfield, IL 60015 (US). <b>(81) Designated States:</b> AT (European patent), AU, BE (European patent), BR, CH (European patent), DE (European patent), DK, FI, FR (European patent), GB (European patent), IT (European patent), JP, KR, LU (European patent), NL (European patent), NO, SE (European patent).		<b>Published</b> <i>With international search report.</i>
<b>(54) Title :</b> FOOD EMULSION PRODUCTS INCLUDING HEMICELLULOSE <b>(57) Abstract</b> Emulsion food products including hemicellulose are disclosed. The hemicellulose is used as a substitute for all or a part of the fat found in conventional food products. Products which may be made include mayonnaise substitutes, salad dressings, butter substitutes, cheeses, dips, sour cream substitutes, whipped toppings, spreads, and sauces.		

***FOR THE PURPOSES OF INFORMATION ONLY***

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	ES	Spain	MG	Madagascar
AU	Australia	FI	Finland	ML	Mali
BB	Barbados	FR	France	MR	Mauritania
BE	Belgium	GA	Gabon	MW	Malawi
BF	Burkina Faso	GB	United Kingdom	NL	Netherlands
BG	Bulgaria	HU	Hungary	NO	Norway
BJ	Benin	IT	Italy	RO	Romania
BR	Brazil	JP	Japan	SD	Sudan
CA	Canada	KP	Democratic People's Republic of Korea	SE	Sweden
CF	Central African Republic	KR	Republic of Korea	SN	Senegal
CG	Congo	LI	Liechtenstein	SU	Soviet Union
CH	Switzerland	LK	Sri Lanka	TD	Chad
CM	Cameroon	LU	Luxembourg	TG	Togo
DE	Germany, Federal Republic of	MC	Monaco	US	United States of America
DK	Denmark				

## FOOD EMULSION PRODUCTS INCLUDING HEMICELLULOSE

Background of the Invention

This invention relates to the field of low fat emulsion food  
5 products such as mayonnaise, salad dressings, butter, cheeses,  
whipped cream substitutes, dips, sour cream, spreads, and sauces.

Emulsion food products such as those listed above have  
widespread popularity. For most uses, a smooth consistent  
texture is desirable, so phase separation is preferably  
10 minimized.

The emulsion food products listed above typically have high  
fat content due to ingredients such as eggs and oil. Fat content  
has been lowered by substitution of various constituents, for  
example, xanthan gums. However, for a desirable commercial  
15 product, other properties are important. A stable emulsion must  
be formed which will remain in emulsion form during  
transportation and storage. Rheological properties such as  
consistency coefficient and flow behavior index are also  
important, as people generally expect new products to have the  
20 consistency and flow properties of known emulsion products.  
Taste must also be relatively similar to the taste found in  
conventionally available products.

Summary of the Invention

25 This invention is the use of hemicellulose in food emulsion  
products. The hemicellulose is used as a substitute for fat,  
oil, or eggs in order to produce a low-fat product which has

rheological properties as well as taste similar to known products.

Detailed Description of the Preferred Embodiment

5        This invention relates to low-fat food emulsion products containing hemicellulose. The emulsion products include, but are not limited to, mayonnaise substitutes, salad dressings, cheese substitutes, butter substitutes, sour cream substitutes, dips, spreads, and sauces.

10        When used herein, the term "hemicellulose" means any polymers of xylose, arabinose, galactose, glucose, mannose, other sugar and their uronic acids having molecular weights in the range of from about 5,000 to about 4,000,000. Hemicelluloses do not occur as homoglycans but rather as heteroglycans containing different  
15        types of sugar residues, often as short appendages linked to the main backbone chain. Typical examples of hemicelluloses include L-arabino-D-xylan, D-glucurono-D-xylan, L-arabino-D-glucurono-D-xylan from wheat and rye; B-glucans from oat and barley, and arabinogalactans. Hemicelluloses are commonly classified as  
20        "Hemicellulose A" and "Hemicellulose B." Hemicellulose A and Hemicellulose B are the hemicelluloses obtained from an acidified hemicellulose mixture which had previously been isolated from plant material by extraction with alkaline solutions.

Hemicellulose B contains most of the water soluble portion;  
25        Hemicellulose A contains most of the water insoluble portion. Hemicellulose B is especially preferred for the purposes of the invention because water solubility and suspensibility may be

desirable for some applications. Mixtures of Hemicellulose A and Hemicellulose B may be used for any applications, as well as any mixtures including Hemicellulose A or Hemicellulose B modified by enzymatic treatment ("Modified Hemicellulose A" and "Modified  
5 Hemicellulose B").

Hemicellulose is obtained from any lignocellulosic substrate, but preferably non-woody lignocellulosic substrates. Suitable substrates include corn bran, corn stover, corn cobs, wheat bran, sugar cane bagasse, alfalfa hay, barley bran, barley hulls, oat  
10 bran, oat hulls, kenaf, western larch heartwood chips, rice bran, sugar beet pulp, citrus pulp, citrus peel, peanut shells, banana peels, okra stover, soybean stover, and esparto grass.

Hemicellulose may be extracted by any one of a number of conventional methods; for example, acid, alkaline, high pressure,  
15 high temperature, or high shear extraction followed by ultrafiltration, centrifugation, spray drying or freeze drying. Hemicellulose may also be modified by enzymatic treatment.

One example of a typical extraction procedure of hemicellulose from wheat bran is exemplified below. First, wheat  
20 bran is pretreated with dilute acid (0.05-0.20 N hydrochloric acid) or enzymes (e.g. amylases, proteases) to remove starch, ash, and proteins. The bran is then extracted with alkali solutions (0.25 N-4.00 N NaOH, KOH,  $\text{NH}_4\text{OH}$ , or  $\text{Ca}(\text{OH})_2$ ) for 2-24 hours. The solution shall be filtered or centrifuged to isolate  
25 the bran. The pH of the bran should be preferably adjusted to about 4.5. Hemicellulose is then isolated by precipitation in

ethanol or ultrafiltration followed by spray drying, vacuum drying, or lyophilization.

Some of the properties of hemicellulose may vary, depending on the substrate and extraction method. For example, the  
5 polymer's molecular chain length, ratio of monomeric sugar, viscosity, water holding capacity, foaming ability, and emulsifying ability may vary. Plus, proteins and polysaccharides may remain in an extracted hemicellulose product. A desired hemicellulose will have less than 40% impurities (ash, protein,  
10 fat, etc.), and preferably less than 20% impurities. Hemicelluloses extracted from wheat, corn, barley, oats and other cereal crops are preferred due to their availability and current use as food products, as well as their generally low levels of impurities needing removal.

15 There is a direct correlation between the molecular weight of hemicellulose and its viscosity. In turn, the viscosity directly affects emulsion formation and stability. High viscosity results in the quick formation of a stable emulsion. A stable emulsion may be formed using hemicellulose at the low end of the molecular  
20 weight range, but a greater quantity of hemicellulose must be used to achieve satisfactory results. The range of molecular weights of hemicellulose also allows its use as a replacement for both saturated and unsaturated fats. Hemicellulose can be added to produce emulsions in a wide range of liquid, semi-solid, and  
25 solid forms.

A food emulsion is a heterogenous system in which one liquid is dispersed in a second liquid. The first liquid, which is

immiscible with the second liquid, is the discontinuous phase, and will be present in the form of finite droplets, while the second liquid is the continuous phase. The hemicellulose may be the continuous or discontinuous phase in the food products. For example, in mayonnaise substitutes, the hemicellulose is the continuous phase. When the hemicellulose is the continuous phase, it should be added in hydrated aqueous form.

Hemicelluloses generally form stable emulsions, as the interfacial tension between the hemicellulose and other liquid is typically lower than between the liquid and the fats which hemicellulose replaces. When hemicellulose is present, the use of emulsifiers, typically required in food emulsion systems due to emulsion instability, can be lessened.

Typically, hemicellulose will be used at a level of 1-20% by weight and preferably 3-10% by weight to replace all or a portion of oil, fats, or eggs. The hemicellulose at this weight percentage will form a stable emulsion product having a viscosity greater than the viscosity of an equivalent amount by weight of the oil, fats, or eggs used in conventional products. This allows the replacement of a greater weight percentage of these substances with hemicellulose, with the remainder of the weight replaced by water or other non-caloric or low calorie filler. The resulting product has a reduced calorie content.

A low-fat mayonnaise substitute can be produced including hemicellulose which has a consistency coefficient, flow behavior index and stability similar to conventional mayonnaises and salad

-6-

dressings. The hemicellulose also imparts a fat-like texture and mouthfeel to the product.

A typical low-fat mayonnaise substitute, excluding egg, preferably has the following formula:

5	<u>Ingredient</u>	<u>Weight Percent</u>
	Salad Oil	1-40
	Hemicellulose	3-10
	Vinegar (100 grain)	4-6
	Salt	0-2
10	Sugar	0-2
	Water, Spices,	40-92
	Emulsifiers,	
	Preservatives	

The amounts of all ingredients other than hemicellulose may be adjusted in accordance with desired characteristics. An especially preferred mayonnaise substitute product has the following formula:

	<u>Ingredient</u>	<u>Weight Percent</u>
	Salad Oil	30
20	Hemicellulose	6
	Vinegar (100 grain)	4
	Salt	1
	Sugar	1
	Water, Spices,	58
25	Emulsifiers, and	
	Preservatives	



-7-

A mayonnaise substitute product including egg may also be made. The formula for a typical product is:

	<u>Ingredient</u>	<u>Weight Percent</u>
	Salad Oil	1-40
5	Hemicellulose	3-10
	Vinegar (100 grain)	4-6
	Egg Yolk (Dry)	0.01-3
	Salt	1
	Water, Spices,	40-91
10	Emulsifiers, and	
	Preservatives	

These products may also include other substances conventionally found in mayonnaise substitute products.

Conventional mayonnaise substitutes include 70 to 85% salad oil. The properties of mayonnaise substitutes containing hemicellulose are comparable with conventional mayonnaises and salad dressings. The mayonnaise substitutes preferably contain hemicellulose obtained from wheat bran. The hemicellulose has an average molecular weight of 300,000.

20 The emulsion stability under centrifuge of commercial mayonnaise as compared to mayonnaise substitutes of the present invention containing hemicellulose are compared in Table 1. The emulsion volume index is a measure of the resistance of the emulsion phase to compression during centrifugation. The emulsion rating is a subjective measure of emulsion stability, based on a 1-100 continuum, with such factors as consistency and texture of the emulsion taken into account.

TABLE 1

	Sample	Emulsion Volume	Emulsion
		Index	Rating
5	Kraft Miracle Whip® Salad Dressing	2.94	98
	Kraft Real Mayonnaise	2.93	97
	Hidden Valley Ranch Dressing®	2.43	81
	Henri's Creamy Italian®	2.77	93
10	Mayonnaise Substitute without egg and 3.75% Hemicellulose	2.75	91
	Mayonnaise Substitute without egg and 5% Hemicellulose	2.97	99
	Mayonnaise Substitute without egg and 7.5% Hemicellulose	2.99	99
15	Mayonnaise Substitute without egg and 10.0% Hemicellulose	2.99	99

In Table 2, the flow behavior properties of commercial mayonnaises and salad dressings are compared with the properties of mayonnaise substitutes containing hemicellulose. Consistency coefficient measures the index of viscosity while flow behavior index measures the effects of shear on the viscosity.

TABLE 2

	Sample	Consistency	Flow Behavior
		Coefficient	Index
25	Kraft Miracle Whip® Salad Dressing	1.65	0.43
	Kraft Real Mayonnaise	1.14	0.54
	Hidden Valley Ranch Dressing®	1.22	0.38

	Henri's Creamy Italian®	1.09	0.35
	Mayonnaise Substitute without egg	0.73	0.45
	and 3.75% Hemicellulose		
5	Mayonnaise Substitute without egg	1.14	0.38
	and 5.0% Hemicellulose		
	Mayonnaise Substitute without egg	1.34	0.45
	and 7.5% Hemicellulose		
	Mayonnaise Substitute without egg	1.75	0.40
10	and 10% Hemicellulose		

Thus, it can be seen that mayonnaise substitutes using hemicellulose can be made having similar characteristics of commercially available mayonnaises and salad dressings.

15 The emulsion stability of the hemicellulose can also be seen from observation of storage over various periods of time at 37°C. In phase separation, the oil in the mayonnaise would separate out. Table 3 shows phase separation of mayonnaise substitutes as compared with commercially available mayonnaises and salad  
20 dressings:

TABLE 3

		<u>Emulsion Phase Separation</u>			
<u>Sample</u>		<u>3 Days</u>	<u>14 Days</u>	<u>35 Days</u>	<u>42 Days</u>
	Kraft Miracle Whip Light® Salad	-	-	+	+
25	Dressing				
	Parade Mayonnaise	-	-	-	-

-10-

	CRS Mayonnaise	-	-	Not Tested	Not Tested
	Kraft Real Mayonnaise	+	+	+	+
	Mayonnaise Substitute without	+	+	+	+
5	Egg and 3.75% Hemicellulose				
	Mayonnaise Substitute without	-	-	+	+
	Egg and 5.0% Hemicellulose				
	Mayonnaise Substitute without	-	-	-	-
	Egg and 7.5% Hemicellulose				
10	Mayonnaise Substitute without	-	-	-	-
	Egg and 10.0% Hemicellulose				

+ = phase separation

- = no phase separation

15

Preferably, mayonnaise substitutes and salad dressings of the present invention will include 5-10% hemicellulose.

Hemicellulose can also be used in the preparation of low-fat dips. Such dips will typically have the following formula:

20	<u>Ingredient</u>	<u>Weight Percent</u>
	Hemicellulose	3-10%
	Salad Oil	5%
	Vinegar (100 grain)	5%
	Buttermilk Powder	2%
25	Sugar	1%
	Salt	1%

-11-

Water, onion, garlic, 76-83%  
 spices, emulsifiers,  
 and preservatives

The dips may also include other substances conventionally present  
 5 in commercially available dips. Conventional dips include 10 to  
 25% salad oil.

Flow behavior properties of the dip including hemicellulose  
 were compared with the properties of commercial dips, as shown in  
 Table 4:

10

TABLE 4

Sample	Consistency Coefficient	Flow Behavior Index
Land O'Lakes Lean Cream Dip™	1.72	0.199
Dean Foods Green Onion Dip™	0.84	0.267
15 Dip Including 6% Hemicellulose with Spices	1.38	0.375
Dip Including 6% Hemicellulose with Spices and 2% Starch	1.30	0.468
Dip Including 4% Hemicellulose	1.09	0.409

20 The rheological properties of the dips which included  
 hemicellulose were found to be within the range of commercial  
 dips.

Other products which may be made using hemicellulose include  
 pourable salad dressings, sour cream substitutes, whipped cream  
 substitutes, bread spreads, and sauces. Preferred ranges for  
 25 these products are listed in Table 5:

TABLE 5

<u>Product</u>	<u>Percentage by Weight Hemicellulose</u>
Pourable Salad Dressing	2-6%
Sour Cream Substitutes	6-12%
5 Whipped Cream Substitute	4-8%
Bread Spread	2-6%
Sauces	2-5%

Other products which may be made with hemicellulose as a substitute for fats include butter substitutes, cheeses and margarines.

The principle of the invention and the best mode contemplated for applying that principle have been described. It is to be understood that the foregoing examples are illustrative only and that other means and techniques can be employed without departing from the true scope of the invention defined in the following claims.

20

25

What Is Claimed Is:

1. A food product comprising an emulsion including about 1-20% by weight hemicellulose.
2. The food product of Claim 1 wherein said hemicellulose provides the functional properties of 1 to 100% by weight fat.
3. The food product of Claim 1, said food product selected from the group consisting of mayonnaise substitutes, salad dressings, butter substitutes, cheeses, dips, sour cream substitutes, whipped toppings, spreads, and sauces.
4. The food product of Claim 3 comprising a mayonnaise substitute.
5. The mayonnaise substitute food product of Claim 4 comprising:
  - about 1 to 40% by weight salad oil;
  - about 3 to 10% by weight hemicellulose;
  - about 4 to 6% by weight vinegar;
  - about 0 to 2% by weight salt;
  - about 0 to 2% by weight sugar; and
  - about 40 to 92% by weight water, spices, emulsifiers and preservatives.
6. The mayonnaise substitute food product of Claim 5 also comprising 0.01 to 4% egg.
7. A mayonnaise substitute food product of Claim 5 comprising 5-10% hemicellulose.
8. The food product of Claim 1 comprising a pourable salad dressing.

-14-

9. The pourable salad dressing of Claim 8 comprising:  
about 0 to 6% by weight salad oil;  
about 2 to 10% by weight vinegar;  
about 2 to 20% by weight hemicellulose;  
5 about 2 to 4% by weight salt; and  
about 60 to 94% by weight water, spices, emulsifiers  
and preservatives.
10. The pourable salad dressing of Claim 9 comprising 2 to 6% by  
weight hemicellulose.
- 10 11. The food product of Claim 1 comprising a dip.
12. The dip food product of Claim 11 comprising:  
about 2 to 20% by weight hemicellulose;  
about 0 to 6% by weight salad oil;  
about 2 to 10% by weight vinegar;  
15 about 0 to 2% by weight buttermilk powder;  
about 0 to 1% by weight salt;  
about 0 to 1% by weight sugar; and  
about 60 to 96% by weight water, spices, garlic, onion,  
emulsifiers and preservatives.
- 20 13. The dip food product of Claim 12 comprising 5-10% by weight  
hemicellulose.
14. The food product of Claim 1 comprising a bread spread.
15. The bread spread of Claim 14 comprising:  
about 2 to 20% by weight hemicellulose;  
25 about 0 to 8% by weight salad oil;  
about 2 to 10% by weight vinegar;  
about 2 to 6% by weight parmesan cheese powder;



-15-

about 2 to 4% by weight garlic powder; and  
about 52 to 92% by weight water, spices, emulsifiers and  
preservatives.

16. The bread spread of Claim 15 comprising 2 to 6% by weight  
5 hemicellulose.
17. The food product of Claim 1 comprising a sour cream  
substitute.
18. The sour cream substitute of Claim 17 comprising 6-12% by  
weight hemicellulose.
- 10 19. The food product of Claim 1 comprising a whipped cream  
substitute.
20. The whipped cream substitute of Claim 19 comprising 4-8% by  
weight hemicellulose.
21. The food product of Claim 1 comprising a sauce.
- 15 22. The sauce of Claim 21 comprising 2-5% by weight  
hemicellulose.
23. The food product of Claim 1 wherein said hemicellulose is  
selected from the group consisting of a hemicellulose A, a  
hemicellulose B, a modified hemicellulose A, a modified  
20 hemicellulose B, or any mixtures thereof.
24. The food product of Claim 1 further comprising emulsifiers,  
preservatives, or other substances conventionally found in  
said food products.
25. The food product of Claim 23 wherein said hemicellulose is  
25 derived from wheat bran, corn bran, barley bran, barley  
hulls, oat bran, or oat hulls.

26. The food product of Claim 1 wherein said emulsion food product is in solid form.
27. The food product of Claim 1 wherein said emulsion food product is in semi-solid form.
- 5 28. The food product of Claim 1 wherein said emulsion food product is in liquid form.

10

15

20

25

# INTERNATIONAL SEARCH REPORT

International Application No. **PCT/US89/05123**

<b>I. CLASSIFICATION OF SUBJECT MATTER</b> (if several classification symbols apply, indicate all) <sup>6</sup>		
According to International Patent Classification (IPC) or to both National Classification and IPC		
<b>IPC(5): A23L 1/307</b>		
<b>US CL: 426/602,603,605,583,570,589,804</b>		
<b>II. FIELDS SEARCHED</b>		
Minimum Documentation Searched <sup>7</sup>		
Classification System	Classification Symbols	
<b>US</b>	<b>426/602,603,605,583,570,589,804</b>	
Documentation Searched other than Minimum Documentation to the extent that such Documents are included in the Fields Searched <sup>8</sup>		
<b>III. DOCUMENTS CONSIDERED TO BE RELEVANT <sup>9</sup></b>		
Category <sup>*</sup>	Citation of Document, <sup>11</sup> with indication, where appropriate, of the relevant passages <sup>12</sup>	Relevant to Claim No. <sup>13</sup>
<b>A</b>	<b>US, A 4,526,794 (Altomare et al.) 02 July 1985. See The Entire Document</b>	-
<b>A</b>	<b>US, A 4,565,702 (Morley et al.) 21 January 1986. See The Entire Document</b>	-
<b>A</b>	<b>US, A 4,698,232 (Sheu et al.) 06 October 1987. See The Entire Document</b>	-
<b>A</b>	<b>US, A, 4,714,620 (Bunick et al.) 22 December 1987. See The Entire Document</b>	-
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p><sup>*</sup> Special categories of cited documents: <sup>10</sup></p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="width: 45%;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"Δ" document member of the same patent family</p> </div> </div>		
<b>IV. CERTIFICATION</b>		
Date of the Actual Completion of the International Search		Date of Mailing of this International Search Report
<b>05 January 1990</b>		<b>24 JAN 1990</b>
International Searching Authority		Signature of Authorized Officer
<b>ISA/US</b>		<b>EVAN FEDERMAN</b>

**THIS PAGE BLANK (USPTO)**

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☒ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**

**THIS PAGE BLANK (USPTO)**